



SEQUENCE LISTING

<10> INSTITUT DE RECHERCHES CLINIQUES DE MONTREAL  
DROUIN, Jacques  
PHILIPS, Alexandre  
MAIRA, Mario

<120> NUR-RE A RESPONSE ELEMENT WHICH BINDS NUR NUCLEAR  
RECEPTORS AND METHOD OF USE THEREFOR

<130> 480848.90018

<140> 09/319,782

<141> 1997-12-12

<150> CA97/00962

<151> 1997-12-12

<150> 2,192,754

<151> 1996-12-12

<160> 28

<170> PatentIn Ver. 2.1

<210> 1

<211> 8

<212> DNA

<213> Murinae gen. sp.

<400> 1

aaaggtca

8

<210> 2

<211> 24

<212> DNA

<213> Murinae gen. sp.

<400> 2

gtgatattta cctccaaatg ccag

24

<210> 3

<211> 6

<212> DNA

<213> Murinae gen. sp.



RECEIVED

SEP 11 2001

TECH CENTER 1600/2900

<400> 3  
aggtca

6

<210> 4  
<211> 28  
<212> DNA  
<213> Murinae gen. sp.

<400> 4  
gatcctcgtg cgaaaaggtc aagcgcta

28

<210> 5  
<211> 33  
<212> DNA  
<213> Murinae gen. sp.

<400> 5  
gatccttagtg atatttacct ccaaatgccca gga

33

<210> 6  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<400> 6  
tgacctttat tctcaaagggt ca

22

<210> 7  
<211> 8  
<212> DNA  
<213> Murinae gen. sp.

<400> 7  
aaatatca

8

<210> 8  
<211> 8  
<212> DNA  
<213> Murinae gen. sp.

<400> 8  
aaatgccca

8

<210> 9  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (10)..(15)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 9  
gtgatatttn nnnnaaatg ccag

24

<210> 10  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (9)..(14)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 10  
tgatatttnn nnnnaaatgc ca

22

<210> 11  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (10)..(15)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 11  
gtgatatttn nnnnaaata tcac

24

<210> 12  
<211> 22

<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (9)..(14)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 12  
tgatatttnn nnnnaaatat ca

22

<210> 13  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (10)..(15)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 13  
ctggcatttn nnnnaaatg ccag

24

<210> 14  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (9)..(14)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 14  
tggcatttnn nnnnaaatgc ca

22

<210> 15  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (1)  
<223> N = Q; Q is C or G

<220>  
<221> variation  
<222> (10)..(15)  
<223> N = X; X is independently selected from A, T, C or  
G

<220>  
<221> variation  
<222> (24)  
<223> N = Q; Q is C or G

<400> 15  
ntgacctttn nnnnaaagg tcan

24

<210> 16  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (9)..(14)  
<223> N = X; X is independently selected from A, T, C or  
G

<400> 16  
tgacctttnn nnnnaaagg ca

22

<210> 17  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (1)  
<223> N = Q; Q is C or G

<220>  
<221> variation  
<222> (4)

<223> N = A or G

<220>

<221> variation

<222> (10)..(15)

<223> N = X; X is independently selected from A, T, C or

G

<220>

<221> variation

<222> (20)

<223> N = A or G

<220>

<221> variation

<222> (24)

<223> N = Q; Q is C or G

<400> 17

ntgnyatttn nnnnaaatn ycan

24

<210> 18

<211> 22

<212> DNA

<213> Murinae gen. sp.

<220>

<221> variation

<222> (3)

<223> N = A or G

<220>

<221> variation

<222> (9)..(14)

<223> N = X; X is independently selected from A, T, C or

G

<220>

<221> variation

<222> (19)

<223> N = A or G

<400> 18

tgnyatttn nnnnaaatny ca

22

<210> 19

<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<400> 19  
gtgatattta cctccaaatg ccag

24

<210> 20  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<400> 20  
tgatatttac ctccaaatgc ca

22

<210> 21  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<400> 21  
gtgatattta cctccaaata tcac

24

<210> 22  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<400> 22  
tgatatttac ctccaaatat ca

22

<210> 23  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<400> 23  
ctggcattta cctccaaatg ccag

24

<210> 24  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<400> 24  
tggcatttac ctccaaatgc ca

22

<210> 25  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (1)  
<223> N = Q; Q is C or G

<220>  
<221> variation  
<222> (24)  
<223> N = Q; Q is C or G

<400> 25  
ntgaccttta cctccaaagg tcan

24

<210> 26  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<400> 26  
tgacctttac ctccaaaggt ca

22

<210> 27  
<211> 24  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (1)  
<223> N = Q; Q is C or G

<220>  
<221> variation  
<222> (4)  
<223> N = A or G



<220>  
<221> variation  
<222> (20)  
<223> N = A or G

<220>  
<221> variation  
<222> (24)  
<223> N = Q; Q is C or G

<400> 27  
ntgnyattta cctccaaatn ycan

24

<210> 28  
<211> 22  
<212> DNA  
<213> Murinae gen. sp.

<220>  
<221> variation  
<222> (3)  
<223> N = A or G

<220>  
<221> variation  
<222> (19)  
<223> N = A or G

<400> 28  
tgnyatttac ctccaaatny ca

22